

- Siegert CF, Weaver WW. The mathematical theory of communication. Urbana, IL: University of Illinois Press; 1949.
- Snowden RD, Treue S, Andersen RA. The response of neurons in areas MT and MST of the alert rhesus monkey to moving random dot patterns. *Exp Brain Res* 1997; 118: 389-400.
- Telmissani DJ, Dean AF, Thorpe SJ. Preferred direction of movement is an element in the organization of cat visual cortex. *Exp Brain Res* 1981a; 44: 740-742.
- Telmissani DJ, Movshon JA, Thorpe SJ. The dependence of response amplitude and response offset upon cortical orientation. An fMRI study. *Exp Brain Res* 1981b; 41: 414-419.
- Telmissani DJ, Movshon JA, Dean AF. The neuronal reliability of signals in single neurons in cat and monkey visual cortex. *Vision Res* 1983; 23: 775-785.
- Taylor MJ, Ruttis GT, Treves A, Miller RH. Information encoding and the responses of single neurons in the primate temporal visual cortex. *J Neurophysiol* 1997; 78: 646-654.
- van Kan PL, Scobey RP, Gabor AJ. Response covariance in cat visual cortex. *Exp Brain Res* 1983; 60: 559-63.
- Viator JD, Purpura KP. Nature and precision of temporal coding in visual cortex: a metric-space analysis. *J Neurophysiol* 1996; 76: 1710-1726.
- Vogels R, Spijkers W, Oosten GA. The response variability of striate cortical neurons in the behaving monkey. *Exp Brain Res* 1989; 77: 213-216.
- von der Malsburg C, Schneider W. A neural cocktail party processor. *Biol Cybern* 1986; 54: 29-40.
- Werner MC, Orans MW, Richmond BJ. Response latency is related to stimulus contrast, but not to response strength. *Journal for Measurement Methods* 1998; 24: 1258 (Abstract).
- Werner MC, Richmond BJ. Using response models to study coding strategies in monkey visual cortex. *Biocomputing* 1998; 48: 279-286.
- Zhang J, Richter A, Kettunen L, Kalvola M. Dynamics of single neuron activity in monkey primary motor cortex related to sensorimotor transformation. *J Neurosci* 1997; 17: 2227-2246.